



Worksite Risk Assessment Competency

Evaluator's name _____ Date _____

Trainee's name, registry #, and Step level _____

Company _____ Job location _____

95 points or above demonstrates competency ____

90 to 94 points demonstrates partial competency ____

Below 90 points demonstrates little or no competency ____

Comments: _____

Worker begins with 100 points. Points will be deducted according to the scale below.

Job Briefing (JSA) adequately covers 5 required subjects, signed by all:

Hazards associated with the job (excluding electrical) 5 pts.

Work procedures involved (who will do what) 5 pts.

Special precautions (related to hazards) 5 pts.

Electrical hazards (circuit #, voltage, MAD) 6 pts.

PPE:

Hardhat 3 pt.

Eye protection 3 pt.

Hearing protection 3 pt.

Chaps 6 pt.

High Vis clothing 3 pt.

Job site setup:

Signs and cones as needed 1 pt.

Wheel chocks 3 pt.

Marked drop zone 5 pt.

Communication protocol (with crew members and with visitors/public) 5 pt.

1st aid kit and second set of gear, stocked and ready 3 pt.

Fire tools ready 3 pt.

Score _____

Evaluator signature

Trainee signature _____

Points for each item are deducted in all or nothing fashion.

In other words, if the circuit number is missing or incorrect, 6 points are deducted. Even if the whole electrical hazards category is missing or inaccurate, only 6 points are deducted.

If 1, or multiple items are missing, in the evaluator's opinion, from hazards associated with the job, 5 points are deducted. We won't nit-pick. For instance, failure to note sprinkler heads hidden at ground level, or a field fence are not a deduction. Failure to note a board fence in the drop zone would be a deduction.

Hazards need to have a special precaution noted or a 5-point deduction is assessed. A 'noted' precaution could be as simple as writing "watch footing", since "slippery slope" was noted on the hazards section.